

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-1720: msRANKL Recombinant Protein

Alternative Name:

Soluble Receptor Activator of NFkB Ligand,TNFSF11,TRANCE,TNF-related activation-induced cytokine,OPGL,ODF,Osteoclast differentiation factor,Tumor necrosis factor ligand superfamily member

11, Receptor activator of nuclear factor kappa B ligand

## **Description**

Source: Escherichia Coli. sRANKL Mouse Recombinant produced in E.coli is single, non-glycosylated, polypeptide chain containing 174 amino acids and having a total molecular mass of 19.9kDa.CD254 is purified by proprietary chromatographic techniques. RANKL binds to tnfrsf11b/opg and to tnfrsf11a/rank. Osteoclast differentiation and activation factor. augments the ability of dendritic cells to stimulate naive t-cell proliferation. May be an important regulator of interactions between t-cells and dendritic cells and may play a role in the regulation of the t-cell-dependent immune response. sRANKL may also play an important role in enhanced bone-resorption in humoral hypercalcemia of malignancy.

## **Product Info**

**Amount :** 10 μg

**Purification:** Greater than 95.0% as determined by SDS-PAGE.

Content: The protein (1mg/ml) was lyophilized with 10mM Na2PO4, pH 7.5 & 50mM NaCl.

Lyophilized TNFSF11 although stable at room temperature for 3 weeks, should be stored

desiccated below -18°C. Upon reconstitution sRANKL should be stored at 4°C between 2-7 days

and for future use below -18°C. For long term storage it is recommended to add a carrier protein

(0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Amino Acid: PAMMEGSWLD VAQRGKPEAQ PFAHLTINAA SIPSGSHKVT LSSWYHDRGW AKISNMTLSN

GKLRVNQDGF YYLYANICFR HHETSGSVPT DYLQLMVYVV KTSIKIPSSH NLMKGGSTKN WSGNSEFHFY

SINVGGFFKL RAGEEISIQV SNPSLLDPDQ DATYFGAFKV QDID.

## **Application Note**

Storage condition:

It is recommended to reconstitute the lyophilized sRANKL in sterile  $18M\Omega$ -cm H2O not less than  $100\mu g/ml$ , which can then be further diluted to other aqueous solutions. Measured by its ability to induce osteoclast formation on murine RAW264.7 cells using a concentration of 50ng/ml shown in "Corning® Osteo Assay Surface 24 Well Plates with Transwell® Permeable Supports- A Useful Tool for Co-Culture Studies" by Rebecca M. Wood and Mark Rothenber, corresponding to a specific activity of 20,000Units/mg.

