

## 32-2229: CTDSP1 Recombinant Protein

**Alternative Name :** Carboxy-terminal domain RNA polymerase II polypeptide A small phosphatase 1, Nuclear LIM interactor-interacting factor 3, NLI-IF, NLI-interacting factor 3, Small C-terminal domain phosphatase 1, SCP1, Small CTD phosphatase 1, CTDSP1, NIF3, NLIIF.

### Description

Source : Escherichia Coli. CTDSP1 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 280 amino acids (1-260 a.a.) and having a molecular mass of 31.2kDa. CTDSP1 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. CTDSP1 is a class 2C phosphatase with activity dependent on the conserved DxD motif. CTDSP1 preferentially catalyzes the dephosphorylation of 'Ser-5' within the tandem 7 residues repeats in the C-terminal domain (CTD) of the largest RNA polymerase II subunit POLR2A. In addition, CTDSP1 negatively regulates RNA polymerase II transcription, possibly by controlling the transition from initiation/capping to processive transcript elongation.

### Product Info

**Amount :** 10 µg  
**Purification :** Greater than 90.0% as determined by SDS-PAGE.  
**Content :** CTDSP1 solution (1mg/ml) containing 20mM Tris-HCl buffer (pH 8.0), 1mM DTT, 20% glycerol and 0.1M NaCl.  
**Storage condition :** Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.  
**Amino Acid :** MGSSHHHHHH SGLVPRGSH MDSSAVITQI SKEEARGPLR GKGDQKSAAS QKPRSRGILH  
SLFCCVCRDD GEALPAHSGA PLLVEENGAI PKTPVQYLLP EAKAQDSDKI CVVIDLDEL VHSFKPVNN  
ADFIIPVEID GVVHQVYVLK RPHVDEFLQR MGELFECVLF TAsLAKYADP VADLLDKWGA FRARLFRESC  
VFHRGNYVKD LSRLGRDLRR VLILDNSPAS YVFHPDNAV P VASWFDNMSD TELHDLLPFF EQLSRVDDVY  
SVLRQPRPGS.

