

## 32-2718: PPP1R14A Recombinant Protein

**Alternative Name :** Protein phosphatase 1 regulatory subunit 14A,17 kDa PKC-potentiated inhibitory protein of PP1,CPI17,CPI-17,PPP1INL,PPP1R14A.

### Description

Source : Escherichia Coli. Recombinant PPP1R14A produced in E.Coli is a single, non-glycosylated polypeptide chain containing 167 amino acids and having a molecular mass of 18 kDa. PPP1R14A is fused to His Tag and is purified by conventional chromatography techniques. PPP1R14A is a phosphorylation-dependent inhibitor of smooth muscle myosin phosphatase. Inhibition of PPP1R14A results to increased myosin phosphorylation and enhances smooth muscle contraction in the absence of increased intracellular Ca(2+) concentration. Myosin phosphatase can reverse MYL (myosin light chain) phosphorylation to induce a state of relaxation. However, during agonist-induced contraction at constant Ca<sup>2+</sup> concurrent inhibition of myosin phosphatase leads to increases in MYL phosphorylation and tension. These calcium-independent increases in myosin phosphorylation and tension are termed calcium sensitization. Human pregnancy is characterized by the increases of PKN1 expression and CPI-17 phosphorylation in the myometrium. PPP1R14A is mapped to chromosome 19q13.13-q13.2. PPP1R14A binds directly to protein kinase C and casein kinase I. PPP1R14A siRNA decreased the level of merlin phosphorylation and consequently Ras and ERK activity in human tumor cell lines. PKC/CPI-17 mediated pathway in histamine, triggers cytoskeletal rearrangements causing lung microvascular barrier compromise.

### Product Info

<b>Amount :</b>	20 µg
<b>Purification :</b>	Greater than 95.0% as determined by(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.
<b>Content :</b>	The PPP1R14A protein solution (1mg/ml) contains 20mM Tris-HCl, pH-8, 0.2mM EDTA, 1mM DTT and 10% glycerol.
<b>Storage condition :</b>	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
<b>Amino Acid :</b>	MGSSHHHHHH SSSLVPRGSH MAAQLGKRV LSKLQSPSRA RGPGGSPGGL QKRHARVTVK YDRRELQRRL DVEKWIDGRL EELYRGMEAD MPDEINIDEL LELESEEERS RKIQGLLKSC GKPVEDFIQE LLAKLQGLHR QPGLRQPSPS HDGSLSPLOD RARTAHP.

