w abeomics

32-2814: SORD Recombinant Protein

Alternative Name : EC 1.1.1.14, SORD1, SORD, L-iditol 2-dehydrogenase, DHSO, Sorbitol Dehydrogenase.

Description

Source : Escherichia Coli. SORD Human Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 377 amino acids (1-357 a.a.) and having a molecular mass of 40.4 kDa. SORD protein is fused to a 20 amino acid His tag at N-terminus and is purified by standard chromatography. SORD enzyme is part of of the zinc-containing alcohol dehydrogenase family that is broadly expressed in kidney and in the lens eye. SORD enzymatically catalyzes the zinc-dependent interconversion of polyols, such as sorbitol and xylitol, to their respective ketoses.

Product Info

| Amount : | 25 μg |
|---------------------|--|
| Purification : | Greater than 90% as determined by SDS-PAGE. |
| Content : | SORD protein solution (0.5mg/ml) is formulated in 20mM Tris-HCl pH-8, 0.2M NaCl, 5mM DTT & 20% glycerol. |
| Storage condition : | Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles. |
| Amino Acid : | MGSSHHHHHH SSGLVPRGSH MAAAAKPNNL SLVVHGPGDL RLENYPIPEP GPNEVLLRMH SVGICGSDVH YWEYGRIGNF IVKKPMVLGH EASGTVEKVG SSVKHLKPGD RVAIEPGAPR ENDEFCKMGR YNLSPSIFFC ATPPDDGNLC RFYKHNAAFC YKLPDNVTFE EGALIEPLSV GIHACRRGGV TLGHKVLVCG AGPIGMVTLL VAKAMGAAQV VVTDLSATRL SKAKEIGADL VLQISKESPQ EIARKVEGQL GCKPEVTIEC TGAEASIQAG IYATRSGGTL VLVGLGSEMT TVPLLHAAIR EVDIKGVFRY CNTWPVAISM LASKSVNVKP LVTHRFPLEK ALEAFETFKK GLGLKIMLKC DPSDQNP. |

Application Note

Specific activity is > 0.2 units/mg, in which one unit will convert 1.0 umole of D-fructose to D-sorbitol per minute at pH 7.5 at $25\tilde{A}$

