

## 32-3855: GADD45A Recombinant Protein

**Alternative Name :** Growth arrest and DNA damage-inducible protein GADD45 alpha, DNA damage-inducible transcript 1 protein, DDIT-1, GADD45A, DDIT1, GADD45.

### Description

Source : Escherichia Coli. GADD45A produced in E.Coli is a single, non-glycosylated polypeptide chain containing 173 amino acids (1-165 a.a.) and having a molecular mass of 19.4kDa. GADD45A is fused to 8 amino acids His Tag at C-terminus and purified by proprietary chromatographic techniques. Growth arrest and DNA Damage-Inducible Protein (GADD45A) binds both Cdks and PCNA. GADD45A is involved in DNA replication and repair. GADD45A stimulates DNA excision repair in vitro and inhibits entry of cells into S phase. GADD45A may serve as a link between p53-dependent cell cycle checkpoint and DNA repair. The GADD45A gene belongs to a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DNA-damaging agents. GADD45A responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. GADD45A binds to proliferating cell nuclear antigen.

### Product Info

<b>Amount :</b>	25 µg
<b>Purification :</b>	Greater than 85.0% as determined by SDS-PAGE.
<b>Content :</b>	The GADD45A protein solution contains 20mM Tris-HCl buffer (pH8.0), 10% glycerol and 0.1M NaCl.
<b>Storage condition :</b>	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
<b>Amino Acid :</b>	MTLEEFSSAGE QKTERMDKVG DALEEVLSKA LSQRTITVGV YEAAKLLNVD PDNVVLCLLA ADEDDDRDVA LQIHFTLIQA FCCENDINIL RVSNPGRLE LLLLETDAGP AASEGAEQPP DLHCVLVTNP HSSQWKDPAL SQLICFCRES RYMDQWVPVI NLPERLEHHH HHH.

