

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-4787: Recombinant Human Succinate Dehydrogenase Complex Assembly Factor 1

Alternative Name:

Succinate Dehydrogenase Complex Assembly Factor 1,LYR Motif-Containing Protein 8,LYR Motif Containing 8,SDH Assembly Factor 1,LYRM8,Succinate Dehydrogenase Assembly Factor

1,Mitochondrial,Succinate dehydrogenase assembly factor 1, mitochondria

Description

Source: Escherichia Coli. SDHAF1 Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 138 amino acids (1-115 a.a) and having a molecular mass of 15.2kDa. SDHAF1 is fused to a 23 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. Succinate dehydrogenase assembly factor 1 (SDHAF1) is a member of the complex I LYR family. SDHAF1 plays an important role in succinate dehydrogenase complex (SDH) assembly, a complex which is involved in complex II of the mitochondrial electron transport chain. SDHAF1 functions through taking part in mitochondrial biosynthesis of iron-sulfur centers for complex II.

Product Info

Amount: 10 µg

Purification: Greater than 85.0% as determined by SDS-PAGE.

Content: SDHAF1 protein solution (0.25mg/ml) containing Phosphate buffered saline (pH7.4), 30%

glycerol, 2mM DTT and 0.1mM PMSF.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

Storage condition : of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Avoid multiple freeze-thaw cycles.

Amino Acid: MGSSHHHHHH SSGLVPRGSH MGSMSRHSRL QRQVLSLYRD LLRAGRGKPG AEARVRAEFR

QHAGLPRSDV LRIEYLYRRG RRQLQLLRSG HATAMGAFVR PRAPTGEPGG VGSQPDDGDS

PRNPHDSTGA PETRPDGR.

