

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com

31-1370: Goat Anti-Mouse Kappa-Biotin Conjugated

Application: IHC,IHC-P,IP,ELISA,FACS,WB,IHC-Fr

Conjugate: BIOTIN **Isotype:** Goat IgG

Product Info

Amount: 1.0 mg

Purification : Affinity chromatography on mouse kappa light chains covalently linked to agarose

Content: 0.5 mg/ml, 2.0 ml, Supplied in PBS/Sodium azide

Storage condition : Store at 2-8°C




Figure 1: ELISA plate was coated with purified mouse $IgG\hat{I}^{\Omega}$, $IgM\hat{I}^{\Omega}$, $IgA\hat{I}^{\Omega}$




Figure 2: Human pancreatic carcinoma cell line MIA PaCa-2 was stained with Mouse Anti-Cytokeratin 18 followed by Goat Anti-Mouse Kappa-Biotin, Streptavidin-FITC, and DAPI.




Figure 3: BALB/c mouse splenocytes were stained with Goat Anti-Mouse Kappa-Biotin followed by Streptavidin-FITC .



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 4: Human pancreatic carcinoma cell line MIA PaCa-2 was stained with Mouse Anti-Cytokeratin 18 followed by Goat Anti-Mouse Kappa-Biotin, Streptavidin-FITC and DAPI