

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 35-1033: Polyclonal Antibody to Myc (Phospho-Thr58)

Clonality: Polyclonal Application: WB,IHC

**Reactivity:** Human, Mouse, Rat

Gene : MYC
Gene ID : 4609
Uniprot ID : P01106
Format : Purified
Alternative Name : c-myc
Isotype : Rabbit IgG

Immunogen Information: Peptide sequence around phosphorylation site of threonine 58 (L-P-T(p)-P-P) derived from

Human Myc.

## **Description**

Participates in the regulation of gene transcription. Binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Seems to activate the transcription of growth-related genes.

## **Product Info**

**Amount :** 50 μl / 100 μl

Content: Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl, 0.02% sodium azide and 50% glycerol.

**Storage condition :** Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 60kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from Hela cells using Myc(Phospho-Thr58) Antibody 35-1033 (Lane 2) and the same antibody preincubated with blocking peptide(Lane1).



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Myc(Phospho-Thr58) Antibody 35-1033 (left) or the same antibody preincubated with blocking peptide(right).