

## 35-1035: Polyclonal Antibody to Myc (Phospho-Ser373)

<b>Clonality :</b>	Polyclonal
<b>Application :</b>	WB,IHC
<b>Reactivity :</b>	Human,Mouse,Rat
<b>Gene :</b>	MYC
<b>Gene ID :</b>	4609
<b>Uniprot ID :</b>	P01106
<b>Format :</b>	Purified
<b>Alternative Name :</b>	c-myc
<b>Isotype :</b>	Rabbit IgG
<b>Immunogen Information :</b>	Peptide sequence around phosphorylation site of serine 373 derived from Human Myc.

### Description

Participates in the regulation of gene transcription. Binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Seems to activate the transcription of growth-related genes.

### Product Info

<b>Amount :</b>	50 $\mu$ l / 100 $\mu$ l
<b>Content :</b>	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
<b>Storage condition :</b>	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

### Application Note

Predicted MW: 60kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from A431 cells untreated or treated with EGF using Myc(Phospho-Ser373) Antibody 35-1035 .




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Myc(Phospho-Ser373) Antibody 35-1035 .