

## 35-1192: Polyclonal Antibody to MEK1/MEK2 (Phospho-Ser217/Ser221)

Clonality :	Polyclonal
Application :	IHC,WB
Reactivity :	Human,Mouse,Rat
Gene :	MAP2K1
Gene ID :	5604
Uniprot ID :	Q02750
Format :	Purified
Alternative Name :	ERK activator kinase 1/ERK activator kinase2, MAP kinase kinase 1/MAP kinase kinase 2, MAP2K1/MAP2K1, MAPK/ERK kinase 1/MAPK/ERK kinase 2, MAPKK 1/MAPKK 1
lsotype :	Rabbit IgG
Immunogen Information	Peptide sequence around phosphorylation site of serine 217/221 (I-D-S(p)-M-A) derived from Human MEK1/MEK2.

#### Description

Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates ERK1 and ERK2 MAP kinases.

# **Product Info**

Amount :	50 μl / 100 μl
Content :	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage condition :	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 45kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from Hela cell untreated or treated with UV MEK1/MEK2(Phospho-Ser217/Ser221) Antibody 35-1192

# **₩** abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using MEK1/MEK2(Phospho-Ser217/Ser221) Antibody 35-1192 (left) or the same antibody preincubated with blocking peptide(right).