

35-1194: Polyclonal Antibody to p27Kip1 (Phospho-Thr187)

| | |
|--------------------------------|--|
| Clonality : | Polyclonal |
| Application : | WB,IHC |
| Reactivity : | Human |
| Gene : | CDKN1B |
| Gene ID : | 1027 |
| Uniprot ID : | P46527 |
| Format : | Purified |
| Alternative Name : | CDKN1B, CDN1B, Cyclin-dependent kinase inhibitor 1B, Cyclin-dependent kinase inhibitor p27, KIP1 |
| Isotype : | Rabbit IgG |
| Immunogen Information : | Peptide sequence around phosphorylation site of threonine 187 (E-Q-T(p)-P-K) derived from Human p27Kip1. |

Description

Important regulator of cell cycle progression. Involved in G1 arrest. Potent inhibitor of cyclin E- and cyclin A-CDK2 complexes. Positive regulator of cyclin D-dependent kinases such as CDK4. Regulated by phosphorylation and degradation events.

Product Info

| | |
|----------------------------|--|
| Amount : | 50 µl / 100 µl |
| Content : | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage condition : | Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles. |

Application Note

Predicted MW: 27kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from HeLa cells untreated or treated with EGF, IFN-α using p27Kip1(Phospho-Thr187) Antibody 35-1194 .




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using p27Kip1(Phospho-Thr187) Antibody 35-1194 (left) or the same antibody preincubated with blocking peptide(right).