

35-1436: Polyclonal Antibody to Integrin beta3 (Ab-773)

| | |
|--------------------------------|---|
| Clonality : | Polyclonal |
| Application : | WB,IHC |
| Reactivity : | Human,Mouse,Rat |
| Gene : | ITGB3 |
| Gene ID : | 3690 |
| Uniprot ID : | P05106 |
| Format : | Purified |
| Alternative Name : | Platelet membrane glycoprotein IIIa |
| Isotype : | Rabbit IgG |
| Immunogen Information : | Peptide sequence around aa. 771~775 (P-L-Y-K-E) derived from Human Integrin b3. |

Description

Integrin α -V/ β -3 is a receptor for cytotactin, fibronectin, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin, vitronectin and von Willebrand factor. Integrin α -IIb/ β -3 is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. Integrins α -IIb/ β -3 and α -V/ β -3 recognize the sequence R-G-D in a wide array of ligands. Integrin α -IIb/ β -3 recognizes the sequence H-H-L-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin α -IIb/ β -3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial surface. In case of HIV-1 infection, the interaction with extracellular viral Tat protein seems to enhance angiogenesis in Kaposi's sarcoma lesions.

Product Info

| | |
|----------------------------|--|
| Amount : | 50 μ l / 100 μ l |
| Content : | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage condition : | Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles. |

Application Note

Predicted MW: 110kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from HL60 and HT29 cells using Integrin β 3 (Ab-773) Antibody 35-1436 .




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Integrin b3(Ab-773) Antibody 35-1436 (left) or the same antibody preincubated with blocking peptide(right).