

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

34-1037: Monoclonal Antibody to Galectin 3 (Clone: 5C21)

Clonality: Monoclonal Clone Name: 5C21

Application : WB, IF/ICC, IHC **Reactivity :** Human, Rat, Mouse

Gene : LGALS3
Gene ID : 3958
Uniprot ID : P17931
Format : Purified

35 kDa lectin,CBP 35,Carbohydrate-binding protein 35,Galactose-specific lectin

Alternative Name: 3,GALBP,Galactoside-binding protein,IgE-binding protein,L-31,Laminin-binding protein,Lectin

L-29,Mac-2 antigen

Isotype: Mouse, IgG1

Immunogen Information: Full length recombinant Galectin-3 expressed in and purified from E. coli

Product Info

Amount : 50 μl / 100 μl

Content:

Antibody is supplied as an aliquot of 1 mg/ml of affinity purified antibody or concentrated tissue

culture supernatant.

Storage condition : Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

WB:1:2,000. IF/ICC and IHC: 1:1,000




Figure-1: Immunofluorescent analysis of cortical neuron-glial cell culture from E20 rat stained with mouse mAb to galectin 3,(34-1037), dilution 1:1,000 in red, and costained with chicken pAb to MAP2,(34-1064), dilution 1:10,000 in green. The blue is Hoechst staining of nuclear DNA. The (34-1037) antibody produces strong staining of microglia (top panel), other glial cells (bottom panel) and lymphocytic cells (small round cells), while the(34-1064) antibody labels dendrites and perikarya of mature neurons.




Figure-2: Western blot analysis of different tissue and cell lysates using mouse mAb to galectin 3,(34-1037), dilution 1:2,000 in green: [1] protein standard (red), [2] mouse brain lysate and rat tissue lysates: [3] brain, [4] liver, [5] heart, [6] kidney, [7] lung and [8] HEK293 cell lysate. The band at about 30kDa mark corresponds to the galectin 3 protein. The same blot was simultaneously probed with chicken pAb to heat shock protein 60 (HSP60), dilution 1:20,000, in red, which reveals HSP60 protein in all preparations.