

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

34-1106: Monoclonal Antibody to Rhodopsin (Clone: A531)

Clonality: Monoclonal

Clone Name: A531

Application: WB, IF/ICC, IHC

Reactivity: Human, Rat, Mouse, Cow, Pig, Horse

Gene : RHO
Gene ID : 6010
Uniprot ID : P08100
Format : Purified
Alternative Name : Opsin-2
Isotype : Mouse, IgG1

Immunogen Information: Purified bovine rhodopsin

Product Info

Amount : 50 μl / 100 μl

Content: Antibody is supplied as an aliquot of 1 mg/ml of affinity purified antibody

Storage condition : Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

WB:1:5,000, IF/ICC and IHC: 1:1,000.




Figure-1: Immunofluorescent analysis of mouse retina section stained with mouse mAb to rhodopsin,(34-1106), dilution 1:2,000, in green, and costained with rabbit pAb to GAP43,(34-1041), dilution 1:1,000 in red. The blue is Hoechst staining of nuclear DNA. Rhodopsin antibody reveals rhodopsin protein in rod cell membranes located in outer segments of photoreceptors layer (OS) of retina. GAP43 antibody stains axons of neuronal cells in the inner plexiform layer (IPL), where it was present in three distinct bands.




Figure-2: Western blot analysis of retina lysates from different species using mouse mAb to rhodopsin,(34-1106), dilution 1:5,000 in green: [1] protein standard (red), [2] rat [3] mouse and [4] cow retina lysates. Strong band at 35kDa corresponds to rhodopsin protein. Bands about 70kDa and 140kDa result from the known tendency of rhodopsin to aggregate on SDS-PAGE gels.