

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

34-1122: Polyclonal Antibody to Ubiquitin C-terminal hydrolase 1, UCHL1

Clonality: Polyclonal Application: WB, IF/ICC, IHC

Reactivity: Human, Rat, Mouse, Cow, Pig, Horse

 Gene :
 UCHL1

 Gene ID :
 7345

 Uniprot ID :
 P09936

Format : Conc. IgY prep.

Alternative Name: Neuron cytoplasmic protein 9.5,PGP 9.5,Ubiquitin thioesterase L1

Isotype: Chicken, IgY

Immunogen Information: Recombinant full length human UCHL1 purified from E. coli.

Product Info

Amount : 50 μl / 100 μl

Content: Antibody is supplied as an aliquot of concentrated IgY prep.

Storage condition : Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

WB: 1:2,000-5,000. IF/ICC and IHC: 1:500-1,000




Figure-1: Immunofluorescent analysis of cortical neuron-glial cell culture from E20 rat stained with chicken pAb to UCHL1,(34-1122) , dilution 1:500 in red, and costained with mouse mAb to vimentin, (34-1127), dilution 1:2,000, in green. The blue is Hoechst staining of nuclear DNA. The UCHL1 antibody produces strong staining of the cell body and dendrites in neurons. The vimentin antibody stains intermediate filaments in fibroblastic and developing glial cells.




Figure-2: Western blot analysis of equal amounts of different tissue and cell lysates using chicken pAb to UCHL1,(34-1122), dilution 1:2,000 in green, and mouse mAb to Actin,(34-1002), dilution 1:1,000, in red: [1] protein standard, [2] rat brain, [3] mouse brain, [4] NIH-3T3, [5] HEK293, [6] HeLa and [7] SH-SY5Y cells. The single band at 24 kDa mark corresponds to UCHL1 protein which is detectable in CNS extracts and lysates of cells with neuronal properties.