

## 10-9534: Recombinant Rabbit Monoclonal Antibody to Polyethylene Glycol (Clone: RM105)(Discontinued)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	RM105
<b>Application :</b>	WB,IP,ICC,IHC,FACS,ELISA
<b>Reactivity :</b>	All Species
<b>Format :</b>	Purified
<b>Isotype :</b>	Rabbit IgG
<b>Immunogen Information :</b>	KLH-PEG with terminal methoxy group

### Product Info

<b>Amount :</b>	100 µg
<b>Purification :</b>	Protein A affinity purified from an animal origin-free culture supernatant
<b>Content :</b>	1 mg/ml in 50% Glycerol/PBS with 1% BSA and 0.09% sodium azide
<b>Storage condition :</b>	Store at -20°C. Avoid repeated freeze and thaw cycles.

### Application Note

Clone RM105 reacts to the methoxy group of Polyethylene glycol (PEG). It is specific for methoxypolyethylene glycol. ELISA: 0.01 Åµg/ml-0.3 Åµg/ml; Immunohistochemistry (IHC): 0.5 Åµg/ml-2 Åµg/ml; Western Blot (WB) : 0.05 Åµg/ml-1 Åµg/ml.




Figure 1: Immunohistochemistry of mouse liver and kidney using 0.5 µg/ml of anti-PEG Clone: RM105. The mouse was injected with PEG-BSA or BSA for 3 hours before sampling.




Figure 2: ELISA of three different PEGylated BSAs using anti-PEG Clone: RM105, followed by an AP conjugated goat anti-rabbit IgG.




Figure 3: Western blot of BSA and PEGylated BSA (mPEG 5 kDa) using 0.1  $\mu\text{g/ml}$  of anti-PEG Clone: RM105.