

## 10-6612: Mouse Monoclonal Antibody to PTP1B (Clone: 107AT690)(Discontinued)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	107AT690
<b>Application :</b>	WB
<b>Reactivity :</b>	Human, Mouse
<b>Gene :</b>	PTPN1
<b>Gene ID :</b>	5770
<b>Uniprot ID :</b>	P18031
<b>Format :</b>	Purified
<b>Alternative Name :</b>	Tyrosine-protein phosphatase non-receptor type 1, Protein-tyrosine phosphatase 1B, PTP-1B, PTPN1, PTP1B
<b>Isotype :</b>	Mouse IgG1

### Description

The protein encoded by this gene is the founding member of the protein tyrosine phosphatase (PTP) family, which was isolated and identified based on its enzymatic activity and amino acid sequence. PTPs catalyze the hydrolysis of the phosphate monoesters specifically on tyrosine residues. Members of the PTP family share a highly conserved catalytic motif, which is essential for the catalytic activity. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP has been shown to act as a negative regulator of insulin signaling by dephosphorylating the phosphotyrosine residues of insulin receptor kinase. This PTP was also reported to dephosphorylate epidermal growth factor receptor kinase, as well as JAK2 and TYK2 kinases, which implicated the role of this PTP in cell growth control, and cell response to interferon stimulation.

### Product Info

<b>Amount :</b>	80 µl / 400 µl
<b>Purification :</b>	Protein G Chromatography
<b>Content :</b>	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
<b>Storage condition :</b>	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term store at -20°C in small aliquots to prevent freeze-thaw cycles.

### Application Note

WB~1:100~500




Figure 1: The monoclonal antibody anti-PTP1b (10-6612) is used in Western blot to detect PTP1b with Lane 1: mouse lung tissue lysate and Lane 2: recombinant protein PTP1b.