

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 39-1098: Anti-Troponin T Monoclonal Antibody (Clone: JLT-12)(Discontinued)

Clonality: Monoclonal Clone Name: JLT-12

**Application:** WB,IHC-P,IHC-F

Reactivity: Rat
Gene: Tnnt3
Gene ID: 24838
Uniprot ID: P09739

Alternative Name: Troponin T, fast skeletal muscle; TnTf; Fast skeletal muscle troponin T; fTnT; Tnnt3

**Isotype:** Mouse IgG1

**Immunogen Information :** Troponin T from rabbit skeletal muscle.

## **Description**

The troponin complex is located on the thin filament of striated muscle and is composed of 3 component polypeptides: troponin 1, troponin T and troponin C. Three troponin T genes have been described on the basis of molecular cloning in humans and other vertebrates. These are expressed in a tissue-specific manner and encode the troponin T isoforms expressed in slow skeletal muscle(TNNT1), cardiac muscle(TNNT2), and fast skeletal muscle(TNNT3). TNNT1, TNNT2, TNNT3 are located on 19q13.4, 1q32, 11p15.5 respectively.

## **Product Info**

**Amount :** 100  $\mu$ g/vial **Purification :** Ascites

Content: Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.

Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.

Storage condition:

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and

stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

 $We stern \qquad blot \qquad : \qquad 2-4\tilde{\mathbb{A}} \square \hat{\mathbb{A}} / 4g/ml; \qquad Immunohistochemistry (Paraffin-embedded \qquad Section) \qquad : \qquad 4-8\tilde{\mathbb{A}} \square \hat{\mathbb{A}} / 4g/ml;$ 

Immunohistochemistry(Frozen Section): 4-8Ã\[\hat{A}^1/4g/ml\]



Figure 1: Anti-Troponin T antibody 39-1098. IHC(P): Rat Skeletal Muscle Tissue.