

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 39-1099: Monoclonal Antibody to Anti-Tryptophan Hydroxylase Antibody(Clone: WH-3)(Discontinued)

Clonality: Monoclonal
Clone Name: WH-3
Application: WB
Reactivity: Human
Gene: Tph2
Gene ID: 317675
Uniprot ID: 08CGU9

Alternative Name: Tryptophan 5-hydroxylase 2; 1.14.16.4; Neuronal tryptophan hydroxylase; Tryptophan 5-

monooxygenase 2; Tph2; Ntph

**Isotype:** Mouse IgG3

**Immunogen Information:** Recombinant rabbit tryptophan hydroxylase.

## **Description**

Tryptophan hydroxylase is the rate-limiting enzyme in the synthesis of serotonin(5-hydroxytryptamine, or 5HT). Tryptophan hydroxylaseatalyzes the biopterin-dependent monooxygenation of tryptophan to5-hydroxytryptophan(5HT), which is subsequently decarboxylated to form the neurotransmitter serotonin. Human tryptophan hydroxylase(TPH) is mapped to chromosome 11p15.3-p14 by in situ hybridization.

## **Product Info**

**Amount :** 100 μg/vial **Purification :** Ascites

Content: Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.

Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.

Storage condition:

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and

stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

Western blot: 0.5-1µg/ml




Figure 1: Anti-Tryptophan Hydroxylase antibody(monoclonal) 39-1099. Western blotting: Lane 1: Rat Brain Tissue Lysate, Lane 2: Rat Brain Tissue Lysate.