

## 39-2068: Anti-VEGF Polyclonal Antibody

<b>Clonality :</b>	Polyclonal
<b>Application :</b>	WB,IHC-P
<b>Reactivity :</b>	Human, Mouse, Rat
<b>Gene :</b>	VEGFA
<b>Gene ID :</b>	7422
<b>Uniprot ID :</b>	P15692
<b>Format :</b>	Lyophilized
<b>Alternative Name :</b>	Vascular endothelial growth factor A; VEGF-A; Vascular permeability factor; VPF; VEGFA; VEGF
<b>Isotype :</b>	Rabbit IgG
<b>Immunogen Information :</b>	A synthetic peptide corresponding to a sequence at the N-terminus of human VEGF(33-48aa VDIFQEYPDEIEYIFK), identical to the related mouse and rat sequences.

### Description

VEGF, a homodimeric glycoprotein of relative molecular mass 45,000, is the only mitogen that specifically acts on endothelial cells. It may be a major regulator of tumor angiogenesis in vivo. Vascular endothelial growth factor is a mitogen primarily for vascular endothelial cells. It is, however, structurally related to platelet-derived growth factor. VEGF shares homology with the PDGF A chain and B chain, including conservation of all 8 cysteines found in PDGFA and PDGFB. VEGF gene contains 8 exons. Vascular endothelial growth factor(VEGF) induces remodeling and enhances TH2-mediated sensitization and inflammation in the lung. VEGF regulates haematopoietic stem cell survival by an internal autocrine loop mechanism. Vascular endothelial growth factor(VEGF) stimulates neurogenesis in vitro and in vivo.

### Product Info

<b>Amount :</b>	100 µg/vial
<b>Purification :</b>	Immunogen affinity purified.
<b>Content :</b>	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg Thimerosal, 0.05mg NaN <sub>3</sub> . Reconstitute : Add 0.2ml of distilled water will yield a concentration of 500ug/ml.
<b>Storage condition :</b>	At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

### Application Note

Western blot : 0.1-0.5 µg/ml; Immunohistochemistry(Paraffin-embedded Section) : 0.5-1 µg/ml




Figure 1: Anti-VEGF antibody(39-2068). Western blotting: Lane 1: Recombinant Human VEGF Protein 10ng, Lane 2: Recombinant Human VEGF Protein 5ng, Lane 3: Recombinant Human VEGF Protein 2.5ng.




Figure 2: Anti-VEGF antibody(39-2068). IHC(P): Human Lung Cancer Tissue.