

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

39-2121: Anti-HDAC3 Polyclonal Antibody

Clonality: Polyclonal

Application: WB Reactivity: Human Gene: HDAC3 Gene ID: 8841 **Uniprot ID:** 015379

Alternative Name: Histone deacetylase 3; HD3; 3.5.1.98; RPD3-2; SMAP45; HDAC3

Isotype: Rabbit IgG

Description

HDAC3(HISTONE DEACETYLASE 3) is a member of the histone deacetylase/acuc/apha family of proteins that is an enzyme that in humans is encoded by the HDAC3 gene. The HDAC3 gene is mapped to 5q31.3. HDAC3 has histone deacetylase activity and represses transcription when tethered to a promoter. It may participate in the regulation of transcription through its binding with the zinc-finger transcription factor YY1. The protein can also down-regulate p53 function and thus modulate cell growth and apoptosis. And this gene is regarded as a potential tumor suppressor gene. HDAC3 has an open reading frame of 428 amino acids and shares 53% amino acid identity with HDAC1 and 52% with HDAC2. The catalytic domain of HDAC4 interacts with HDAC3 via the transcriptional corepressor NCOR2. All experimental conditions leading to the suppression of HDAC4 binding to NCOR2 and to HDAC3 resulted in loss of enzymatic activity associated with HDAC4.

Product Info

Amount: 100 µg/vial

Purification: Immunogen affinity purified.

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3. Content:

Reconstitute: Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and Storage condition:

stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Application Note

Western blot: 0.1-0.5µg/ml; Immunohistochemistry(Paraffin-embedded Section): 0.5-1µg/ml





Figure 1: Anti-HDAC3 antibody(39-2121). IHC(P): Human Intestinal Cancer Tissue.





Email: info@abeomics.com



***** abeomics

Figure 2: Anti-HDAC3 antibody(39-2121). IHC(P): Human Lung Cancer Tissue.




Figure 3: Anti-HDAC3 antibody(39-2121). IHC(P): Rat Intestine Tissue.




Figure 4: Anti-HDAC3 antibody(39-2121). IHC(F): Mouse Brain Tissue.




Figure 5: Anti-HDAC3 antibody(39-2121). ICC: A549 Cell.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 6: Anti-HDAC3 antibody(39-2121). Western blotting: Lane 1: Rat Stomach Tissue Lysate, Lane 2: Rat Testis Tissue Lysate, Lane 3: MCF-7 Cell Lysate, Lane 4: HELA Cell Lysate, Lane 5: JURKAT Cell Lysate, Lane 6: SKOV Cell Lysate.