

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 43-1064: Monoclonal Antibody to Mouse CD152 (CTLA-4) NALE™ Purified (Clone: UC10-4F10-11)

Clonality: Monoclonal
Clone Name: UC10-4F10-11

Application: FACS
Reactivity: Mouse
Gene: Ctla4
Gene ID: 12477
Uniprot ID: P09793

Alternative Name: Cytotoxic T-lymphocyte-associated antigen 4, cd152

**Isotype:** Armenian Hamster IgG1, kappa

## **Description**

The UC10-4F10-11 monoclonal antibody specifically reacts with the mouse Cytotoxic T-Lymphocyte Antigen-4 (CTLA-4), also known as CD152. It is a protein with a structure similar to CD28 regarding the genomic organization, amino acid sequence, and structure. CTLA-4 is expressed on activated T cells and CD25+/CD4+ Treg lymphocytes and binds the members of the B7 family, B7-1 (CD80) and B7-2 (CD86), with higher affinity than CD28. CD28 seems to provide opposing signal to T lymphocytes, while CD152 inhibits the T lymphocytes progression to an activated state and their proliferation, CD28 is a costimulator. The mouse UC10 -4F10-11 monoclonal antibody does not cross-react with the rat leukocytes.

## **Product Info**

Amount:  $100 \mu g$ 

**Content:** 2.0 mg/ml in Phosphate-buffered aqueous solution, ph7.2.

The product should be stored undiluted at 4°C. Do not freeze. The monoclonal antibody was

**Storage condition :** purified utilizing affinity chromatography. The endotoxin level is determined by LAL test to be

less than 0.01 EU/µg of the protein.

## **Application Note**

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. It is recommended that the reagent be titrated for optimal performance for each application.