

## 43-1076: Monoclonal Antibody to Mouse CD357 (GITR) NALE™ Purified (Clone: DTA-1)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	DTA-1
<b>Application :</b>	FACS
<b>Reactivity :</b>	Mouse
<b>Gene :</b>	Tnfrsf18
<b>Gene ID :</b>	21936
<b>Uniprot ID :</b>	O35714
<b>Alternative Name :</b>	Gitr, Glucocorticoid-induced TNFR-related protein
<b>Isotype :</b>	Rat IgG2b

### Description

The DTA-1 monoclonal antibody specifically reacts with Mouse Glucocorticoid-Induced TNFR-related protein, also known as GITR and TNFRSF18, a 66-70 kDa homodimer glycoprotein, detected in the T cells treated with glucocorticoid dexamethasone. GITR is also expressed in naive mice by CD25+/CD4+/CD8a- thymocytes and on CD25+/CD4+/CD45RB-low splenocytes. Low levels were detected in splenic CD25+/CD4+/CD45RB-low T cells, B cells, dendritic cells and macrophages. A GITR ligand was detected on dendritic cells, macrophages and B cells. The DTA-1 antibody stimulates GITR and abrogates suppression by T regulatory cells (Treg), without affecting their proliferation. DTA-1 administration or the removal of GITR-expressing cells led to organ specific autoimmune disease.

### Product Info

<b>Amount :</b>	100ug / 500 µg
<b>Content :</b>	2 mg/ml in Phosphate-buffered aqueous solution, pH7.2.
<b>Storage condition :</b>	The product should be stored undiluted at 4°C. Do not freeze. The monoclonal antibody was purified utilizing affinity chromatography. The endotoxin level is determined by LAL test to be less than 0.01 EU/µg of the protein.

### Application Note

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. It is recommended that the reagent be titrated for optimal performance for each application.