

## 32-7018: Recombinant Human TRAIL/TNFSF10/CD253 (Arg115-Gly281)

**Gene :** TNFSF10

**Gene ID :** 8743

**Uniprot ID :** P50591

### Description

Source: E.coli.

MW :19.5kD.

Recombinant Human TNF-Related Apoptosis-Inducing Ligand is produced by our E.coli expression system and the target gene encoding Arg115-Gly281 is expressed. Human TNFSF10 is a type II transmembrane protein with an intracellular N-terminus and a 'TNF homology domain' (THD) at the extracellular C terminus. TNFSF10 can interact with several distinct receptors. Two of these receptors that belongs to TNFR superfamily, DR4 (TRAIL-R1) and DR5 (TRAIL-R2/TRICK2), are plasma membrane proteins containing intracellular death domains essential for activating apoptosis. TNFSF10 is promising for cancer therapy because it is cytotoxic and activates apoptosis in the majority of malignant cells, but not in normal cells.

### Product Info

**Amount :** 10 µg / 50 µg

**Content :** Lyophilized from a 0.2 µm filtered solution of 150mM NaCl.

**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

**Amino Acid :** MRERGPQRVAAHITGTRGRSNTLSSPNSKNEKALGRKINSWESSRSGHSFLSNLHLRNGELVIHEKGFYYISQTYFRFQEEIKENTKNDKQMVQYIYKYTSYPDPILLMKSARNSCWSKDAEYGLYSIQGGIFELKENDRIFVSVTNEHLIDMDHEASFFGAFLVG

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.

**Biological Activity :** ED50 is less than 2 ng/ml. Specific Activity of 5.0 x 10<sup>6</sup> IU/mg.