

## 32-7073: Recombinant Human Cystatin A (N-6His)

**Gene :** CSTA  
**Gene ID :** 1475  
**Uniprot ID :** P01040

### Description

Source: E.coli.  
MW :11.8kD.

Recombinant Human Cystatin A is produced by our E.coli expression system and the target gene encoding Ile2-Phe98 is expressed with a 6His tag at the N-terminus. Human Cystatin A (CSTA) is a member of family 1 of the cystatin superfamily, which is characterized by lacking of disulphide bonds and carbohydrates. Cystatin A is an intracellular inhibitor regulating the activities of cysteine proteases of the papain family such as Cathepsins B, H and L. Cystatin A is also implicated in a number of disease states. Due to altered proteolytic state in cancer progression, Cystatin A may play a role in the proteolytic pathways.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM TrisHCl, 100mM NaCl, pH 8.0.  
Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.  
**Storage condition :** Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** MHHHHHHIPGGLSEAKPATPEIQEIVDKVKPQLEEKTNETYGKLEAVQYKTQVVAGTNYIYIKVRAGDNKYMHLK  
VFKSLPGQNEIDLVLTYGYQVDKNKDELDTGF

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.