

32-7073: Recombinant Human Cystatin A (N-6His)

 Gene :
 CSTA

 Gene ID :
 1475

 Uniprot ID :
 P01040

Description

Source: E.coli.

MW :11.8kD.

Recombinant Human Cystatin A is produced by our E.coli expression system and the target gene encoding Ile2-Phe98 is expressed with a 6His tag at the N-terminus. Human Cystatin A (CSTA) is a member of family 1 of the cystatin superfamily, which is characterized by lacking of disulphide bonds an carbohydrates. Cystatin A is an intracellular inhibitor regulating the activities of cysteine proteases of the papain family such as Cathepsins B, H and L. Cystatin A is also implicated in a number of disease states. Due to altered proteolytic state in cancer progression, Cystatin A may play a role in the proteolytic pathways.

Product Info

Amount : Content :	10 μg / 50 μg Lyophilized from a 0.2 μm filtered solution of 20mM TrisHCl, 100mM NaCl, pH 8.0.
Storage condition :	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid :	MHHHHHHIPGGLSEAKPATPEIQEIVDKVKPQLEEKTNETYGKLEAVQYKTQVVAGTNYYIKVRAGDNKYMHLK VFKSLPGQNEDLVLTGYQVDKNKDDELTGF

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 \tilde{A} [] $\hat{A}\mu$ g/ml. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/ \tilde{A}] \hat{A} µg (1 IEU/ \tilde{A}] \hat{A} µg) as determined by LAL test.