

## 32-7186: Recombinant Human Annexin A7/ANXA7(Discontinued)

 Gene :
 ANXA7

 Gene ID :
 310

 Uniprot ID :
 P20073

## **Description**

Source: E.coli. MW :50.32kD.

Recombinant Human Annexin A7 is produced by our E.coli expression system and the target gene encoding Met1-Gln466 is expressed. Annexin A7 (ANXA7) is a member of the annexin family of calcium-dependent phospholipid binding proteins. Annexin A7 has a unique, highly hydrophobic N-terminal domain and a conserved C-terminal region. The C-terminal region is composed of alternating hydrophobic and hydrophilic segments. Annexin A7 is a calcium/phospholipid-binding protein with diverse properties including voltage-sensitive calcium channel activity and promotes membrane fusion and is also involved in exocytosis.

## **Product Info**

Amount : Content :	10 μg / 50 μg Lyophilized from a 0.2 μm filtered solution of 10mM TrisHCl, 100mM NaCl, pH 8.0.
Storage condition :	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid :	MSYPGYPPTGYPPFGYPPAGQESSFPPSGQYPYPSGFPPMGGGAYPQVPSSGYPGAGGYPAPGGYPAPGGYP GAPQPGGAPSYPGVPPGQGFGVPPGGAGFSGYPQPPSQSYGGGPAQVPLPGGFPGGQMPSQYPGGQPTYPS QPATVTQVTQGTIRPAANFDAIRDAEILRKAMKGFGTDEQAIVDVVANRSNDQRQKIKAAFKTSYGKDLIKDLKS ELSGNMEELILALFMPPTYYDAWSLRKAMQGAGTQERVLIEILCTRTNQEIREIVRCYQSEFGRDLEKDIRSDTS GHFERLLVSMCQGNRDENQSINHQMAQEDAQRLYQAGEGRLGTDESCFNMILATRSFPQLRATMEAYSRMA NRDLLSSVSREFSGYVESGLKTILQCALNRPAFFAERLYYAMKGAGTDDSTLVRIVVTRSEIDLVQIKQMFAQMY QKTLGTMIAGDTSGDYRRLLLAIVGQ

## **Application Note**

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100  $\tilde{A}$   $\hat{A}\mu g/ml$ . Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/ $\tilde{A}$   $\hat{A}\mu g$  (1 IEU/ $\tilde{A}$   $\hat{A}\mu g$ ) as determined by LAL test.