

## 32-7232: Recombinant Human Prefoldin Subunit 2/PFDN2 (N-6His)

**Gene :** PFDN2  
**Gene ID :** 5202  
**Uniprot ID :** Q9UHV9

### Description

Source: E.coli.  
MW :18.8kD.

Recombinant Human Prefoldin Subunit 2 is produced by our E.coli expression system and the target gene encoding Met1-Ser154 is expressed with a 6His tag at the N-terminus. Prefoldin Subunit 2 (PFDN2) belongs to the Prefoldin Beta subunit family. The PFDN2 protein is one of six subunits of Prefoldin that act as a molecular chaperone complex that binds and stabilizes newly synthesized polypeptides allowing them to fold correctly. PFDN2 binds specifically to Cytosolic Chaperonin (c-CPN) and transfers target proteins to it. PFDN2 also binds to a nascent polypeptide chain and promotes folding in settings where there are many competing pathways for non-native proteins.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM TrisHCl, 50mM NaCl, 1mM DTT, pH 8.0.  
Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.  
**Storage condition :** Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** MGSSHHHHHHSSGLVPRGSHMAENSGRAGKSSGSGAGKGAVSAEQVIAGFNRLRQEQRGLASKAAELEMEL  
NEHSLVIDTLKEVDETRKCYRMVGGVLVERTVKEVLPALENNKEQIQKIETLTQQLQAKGKELNEFREKHNIRL  
MGEDEKPAAKENSEGAGAKASSAGVLVS

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.