

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7359: Recombinant Human Vasorin/SLITL2/VASN (C-6His)

Gene ID: VASN
Gene ID: 114990
Uniprot ID: Q6EMK4

Description

Source: Human Cells. MW:60.75kD.

Recombinant Human Vasorin is produced by our Mammalian expression system and the target gene encoding Cys24-Pro575 is expressed with a 6His tag at the C-terminus. Vasorin is a Type I membrane protein, which is predominantly expressed in vascular smooth muscle cells in a developmentally regulated pattern. The expression level of Vasorin can be down regulated during vessel repair after arterial injury. Vasorin binds to transforming growth factor beta (TGF- beta) and attenuates TGF-beta signaling in vitro.

Product Info

Amount: $10 \mu g / 50 \mu g$

Content : Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, 5% Threhalose, pH 7.2.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: CPSGCQCSQPQTVFCTARQGTTVPRDVPPDTVGLYVFENGITMLDAGSFAGLPGLQLLDLSQNQIASLPSGVF

QPLANLSNLDLTANRLHEITNETFRGLRRLERLYLGKNRIRHIQPGAFDTLDRLLELKLQDNELRALPPLRLPRLLL LDLSHNSLLALEPGILDTANVEALRLAGLGLQQLDEGLFSRLRNLHDLDVSDNQLERVPPVIRGLRGLTRLRLAG NTRIAQLRPEDLAGLAALQELDVSNLSLQALPGDLSGLFPRLRLLAAARNPFNCVCPLSWFGPWVRESHVTLAS PEETRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAPATEAPSPPSTAPP TVGPVPQPQDCPPSTCLNGGTCHLGTRHHLACLCPEGFTGLYCESQMGQGTRPSPTPVTPRPPRSLTLGIEPVS PTSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLVTLRLPASLAEYTVTQLRPNATYSVCVMPLGPGRVPEG

EEACGEAHTPPAVHSNHAPVTQAREGNLPVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\tilde{A} \Box \hat{A} \mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than $0.1 \text{ ng}/\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.