

## 32-7419: Recombinant Human Ephrin-B2/EFNB2 (C-6His)

**Gene :** EFNB2  
**Gene ID :** 1948  
**Uniprot ID :** P52799

### Description

Source: Human Cells.  
MW :23.24kD.

Recombinant Human Ephrin-B2 is produced by our Mammalian expression system and the target gene encoding Ile28-Ala229 is expressed with a 6His tag at the C-terminus. Ephrin-B2 is a type I transmembrane protein and belongs the Ephrin family. It binds to the receptor tyrosine kinases, such as EPHA4, EPHB4 and EPHA3. Ephrin-B2 has been implicated in mediating developmental events, especially in the nervous system, erythropoiesis and tumour metastasis. Ligation of Ephrin-B2 with complementary EphB receptors on adjacent cells results in a combination of forward (EphB receptors) and reverse (Ephrin-B2) signalling, which is central to tissue development and remodelling functions. In addition, Ephrin-B2 may play a role in constraining the orientation of longitudinally projecting axons.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.  
**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** IVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKVDSKTVGQY EYKVVYMVVDKQADRCTIKKENTPLLNCAK PDQDIKFTIKFQEFSPNLWGLEFQKNKDYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGDASSAGSTRNK DPTRRPELEAGTNGRSSTTSPFVKPNPGSSTDGNSAGHSGNNILGSEVALFAVDHHHHHH

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.