

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7562: Recombinant Human Zymogen Granule Membrane Protein 16/ZG16 (C-6His)

Gene ID: 2G16 **Gene ID:** 653808 **Uniprot ID:** 060844

Description

Source: Human Cells. MW:17.7kD.

Recombinant Human Zymogen Granule Membrane Protein 16 is produced by our Mammalian expression system and the target gene encoding Asn17-Cys167 is expressed with a 6His tag at the C-terminus. Zymogen Granule Membrane Protein 16 (ZG16) belongs to the jacalin lectin family. ZG16 is highly expressed in liver and is detected at lower levels in colon, ileum and jejunum. ZG16 may play a role in protein trafficking. In addition, ZG16 may act as a linker molecule between the submembranous matrix on the luminal side of zymogen granule membrane (ZGM) and aggregated secretory proteins during granule formation in the TGN.

Product Info

Amount : 10 μg / 50 μg

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition: Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: NAIQARSSSYSGEYGSGGKRFSHSGNQLDGPITALRVRVNTYYIVGLQVRYGKVWSDYVGGRNGDLEEIFLH

PGESVIQVSGKYKWYLKKLVFVTDKGRYLSFGKDSGTSFNAVPLHPNTVLRFISGRSGSLIDAIGLHWDVYPTSC

SRCVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\tilde{A} \Box \hat{A} \mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than 0.1 ng/Ã[Âμg (1 IEU/Ã[Âμg) as determined by LAL test.