

32-7618: Recombinant Human Natural Cytotoxicity Triggering Receptor 1/NCR1/NKp46/CD335 (C-Fc)(Discontinued)

Gene : NCR1
Gene ID : 9437
Uniprot ID : O76036

Description

Source: Human Cells.

MW :53.5kD.

Recombinant Human NCR1 is produced by our Mammalian expression system and the target gene encoding Gln22-Asn254 is expressed with a Fc tag at the C-terminus. Natural cytotoxicity triggering receptor 1(NCR1) is a single-pass type I membrane protein .It contains 2 Ig-like (immunoglobulin-like) domains and belongs to the natural cytotoxicity receptor (NCR) family. The protein is a natural killer (NK) lymphocyte-activating receptor. It is involved in major aspects of NK immune function and shows a high degree of lineage specificity in blood and bone marrow.

Product Info

Amount : 10 µg / 50 µg

Content : Lyophilized from a 0.2 µm filtered solution of PBS,pH7.4.

Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Amino Acid : QQQLPKPFIWAEPHFMPKEKQVTICCGNYGAVEYQLHFEGSLFAVDRPKPPERINKVKFYIPDMNSRMAGQ YSCIYRVGELWSEPSNLLDLVVTMYDTPTLSVHPGPEVISGEKVTFCRLDTATSMFLLKEGRSSHVQRGYGK VQAEFPLGPVTTAHRGTYRCFGSYNNHAWSPSEPVKLLVTDIENTSLAPEDPTFPDTWGTYLLTTETGLQKD HALWDHTAQNVDDIEGRMDEPKSCDKHTCPPCPAPPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHE DPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQ PREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSGDGSFFLYSKLTVDKSR WQQGNVFCFSVMHEALHNHYTQKSLSLSPGK

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.