

32-7625: Recombinant Human Roundabout Homolog 4/ROBO4 (C-Fc)

Gene : ROBO4
Gene ID : 54538
Uniprot ID : Q8WZ75

Description

Source: Human Cells.
MW :74.6kD.

Recombinant Human ROBO4 is produced by our Mammalian expression system and the target gene encoding Gln28-Arg467 is expressed with a Fc tag at the C-terminus. Roundabout homolog 4(ROBO4) contains 2 fibronectin type-III domains, 2 Ig-like C2-type (immunoglobulin-like) domains and belongs to the immunoglobulin superfamily. The protein is a receptor for slit proteins, at least for SLIT2, and seems to be involved in angiogenesis and vascular patterning. ROBO4 may mediate the inhibition of primary endothelial cell migration by Slit proteins.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS,pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : QDSPPQILVHPQDQLFQGGPARMSCQASGQPPPTIRWLLNGQPLSMVPPDPHLLPDGTLTLLQPPARGHAH DGQALSTDLGVYTCEASNRLGTAVSRGARLSVAVLREDFQIQPRDMVAVVGEQFTLECGPPWGHPEPTVSW WKDGGKPLALQGRHTVSGGSLLMARAESDEGTYMVCATNSAGHRESRAARVSIQEPQDYTEPVELLAVRIQL ENVTLNPDPAEGPKPRPAVWLSWKVSGPAAPAQSYTALFRTQTAPGGQGAPWAEELLAGWQSAELGGLHW GQDYEFKVRPSSGRARGPDSNVLLRLPEKVPSAPPQEVTLKPGNGTVFVSWVPPAENHNGIIRGYQVWSLG NTSPPANWTVVGEQTQLEIATHMPGSYCVQAAVTGAGAGEPSRPVCLLLEQAMERATQEPSEHGPTWLEQ LRATLKRVDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVK FNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ VYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQG NVFSCSVMEALHNHYTQKSLSLSPGK

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.