

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7780: Recombinant Human Serpin A10/ZPI (C-6His)

Gene ID: SERPINA10
Gene ID: 51156
Uniprot ID: Q9UK55

Description

Source: Human Cells. MW :49.5kD.

Recombinant Human Serpin A10 is produced by our Mammalian expression system and the target gene encoding Leu22-Leu444 is expressed with a 6His tag at the C-terminus. Serpin A10 is a secreted protein that belongs to the serpin family. It is predominantly expressed in the liver and secreted in the plasma. Its phosphorylation sites are present in the extracelllular medium. It inhibits factors Xa and XIa of the coagulation cascade in the presence of protein Z, calcium, and phospholipid. Mutations in SERPINA10 are associated with venous thrombosis.

Product Info

Amount: $10 \mu g / 50 \mu g$

Content : Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,1mM GaCl2,pH7.4.

Lyophilized protein should be stored at -20 $^{\circ}$ C, though stable at room temperature for 3 weeks.

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: LAPSPQSPETPAPQNQTSRVVQAPKEEEEDEQEASEEKASEEEKAWLMASRQQLAKETSNFGFSLLRKISMRH

DGNMVFSPFGMSLAMTGLMLGATGPTETQIKRGLHLQALKPTKPGLLPSLFKGLRETLSRNLELGLTQGSFAFIH KDFDVKETFFNLSKRYFDTECVPMNFRNASQAKRLMNHYINKETRGKIPKLFDEINPETKLILVDYILFKGKWLTP FDPVFTEVDTFHLDKYKTIKVPMMYGAGKFASTFDKNFRCHVLKLPYQGNATMLVVLMEKMGDHLALEDYLTT DLVETWLRNMKTRNMEVFFPKFKLDQKYEMHELLRQMGIRRIFSPFADLSELSATGRNLQVSRVLQRTVIEVDE

RGTEAVAGILSEITAYSMPPVIKVDRPFHFMIYEETSGMLLFLGRVVNPTLLLDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\tilde{A} \square \hat{A} \mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/ \tilde{A} \parallel \hat{A} μ g (1 IEU/ \tilde{A} \parallel \hat{A} μ g) as determined by LAL test.