

## 32-7787: Recombinant Human Lymphocyte Antigen 6H/LY6H (C-6His)

**Gene :** LY6H  
**Gene ID :** 4062  
**Uniprot ID :** O94772

### Description

Source: Human Cells.  
MW :10.9kD.

Recombinant Human Lymphocyte Antigen 6H is produced by our Mammalian expression system and the target gene encoding Leu26-Gly115 is expressed with a 6His tag at the C-terminus. Lymphocyte Antigen 6H (LY6H) is a novel member of the LY6 family of glycosylphosphatidylinositol-anchored cell surface glycoproteins. LY6H contains one UPAR/Ly6 domain. Human LY6H is synthesized as a 140 amino acid precursor that contains a 25 amino acid signal sequence, 20 amino acid propeptide that is removed in the mature form, and a 90 amino acid mature chain. LY6H is highly expressed in the brain (cerebral cortex, amygdala, hippocampus and subthalamic nucleus) and in acute human leukemic cell line MOLT-3. It is also found in lower levels in testis, pancreas, small intestine and colon. It has been shown that LY6H may play a role in both the central nervous system and the immune system.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.4.  
**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** LWCQDCTLTTNSSHCTPKQCQPSDTCASVRITDPSSSRKDHSVNMKMCASSCDFVKRHHFFSDYLMGFINSGLKVDVDCCEKDLNCGAAGLDHHHHHH

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.