

32-7820: Recombinant Mouse M-CSF/CSF1

Gene : Csf1
Gene ID : 12977
Uniprot ID : P07141

Description

Source: Human Cells.
MW :26kD.

Recombinant Mouse Macrophage colony-stimulating factor 1 is produced by our Mammalian expression system and the target gene encoding Lys33-Glu262 is expressed. Macrophage colony-stimulating factor 1(M-csf)is a single-pass type I membrane protein . It is a hematopoietic growth factor that is involved in the proliferation, differentiation, and survival of monocytes, macrophages, and bone marrow progenitor cells. M-CSF affects macrophages and monocytes in several ways, including stimulating increased phagocytic and chemotactic activity, and increased tumour cell cytotoxicity. The role of M-CSF is not only restricted to the monocyte/macrophage cell lineage. By interacting with its membrane receptor, M-CSF also modulates the proliferation of earlier hematopoietic progenitors and influence numerous physiological processes involved in immunology, metabolism, fertility and pregnancy.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : KEVSEHCSHMIGNHGLKVLQQLIDSMETSCQIAFEFVDQEQLDDPVCYLKKAFFLVQDIIDETMRFKDNTPNANATERLQELSNLNSCFTKDYEEQNKACVRTFHETPLQLLEKIKNFFNETKNLLEKDOWNIFTKNCNNSFAKCSSRDVVTKPDCNCLYPKATPSSDPASASPHQPPAPSMAPLAGLAWDDSQRTEGSSLLPSELPLRIEDPGSAKQRPPRSTCQTLEVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.