

32-7849: Recombinant Human Cadherin-11/OB-Cadherin/CDH11 (C-Fc-6His)

Gene : CDH11
Uniprot ID : Q96CZ9

Description

Source: Human Cells.
MW :93.5kD.

Recombinant Human Cadherin-11 is produced by our Mammalian expression system and the target gene encoding Phe23-Thr617 is expressed with a Fc, 6His tag at the C-terminus. Cadherin-11, also known as OSF-4, Osteoblast cadherin and CDH11, is a type II classical cadherin from the cadherin superfamily, integral membrane proteins that mediate calcium-dependent cell-cell adhesion. Cadherins interact with themselves in a homophilic manner in connecting cells, may thus contribute to the sorting of heterogeneous cell types. Cadherin-11 contains five cadherin domains and is mainly expressed in brain. Mature cadherin proteins consists of a large N-terminal extracellular domain, a single membrane-spanning domain, and a small, highly conserved C-terminal cytoplasmic domain. It is shown that cadherin-11 is a viable molecular target for therapeutic intervention in Glioblastoma multiforme.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4 .
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : FAPERRGHLRPSFHGHHEKGEQVLQRSKRGVWVWNQFFVIEEYTGPDVPLVGRHLSDIDSGDGNIKYILSGE
GAGTIFVIDDKSGNIHATKTLDRERAQYTLMAQAVDRDTRNRPLEPPSEFIVKVQDINDNPPEFLHETYHANVPE
RSNVGTSVIQVTASDADDPTYGNSAKLVYSILEGQPYFSVEAQGTGIIRALPNMDREAKEEYHVVIQAKDMGGH
MGGLSGTTKVMITLTDVNDNPPKFPQSVMSEAAVPGEEVGRVKAKDPDIGENGLVTYNIVDGDMESFE
ITTDYETQEGVIKLPVDFETKRAYSLKVEAANVHIDPKFISNGPFKDTVTVKIAVEDADEPPMFLAPSYIHEVQE
NAAAGTVVGRVHAKDPDAANSPIRYSIDRHTDLDRFFITINPEDGFIKTKPLDREETAWLNITVFAAEIHNHRHQE
AKVPVAIRVLDVNDNAPKFAAPYEGFICESDQTKPLSNQPIVTISADDKDDTANGPRFIFSLPPEIHNPNFTVRDN
RDNTAGVYARRGGFSRQKQDLYLLPVISDGGIPMSSTNTLTIKVCGCDVNGALLSCNAEAYILNAGLSTVDDI
EGRMDEPKSCDKTHTCPPCAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVE
VHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREE
MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQGNVDFCSVMH
EALHNHYTQKSLSLSPGKHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.