

32-7875: Recombinant Human Semaphorin-4B/SEMA4B (C-Fc-6His)

Gene : SEMA4B
Gene ID : 10509
Uniprot ID : Q9NPR2

Description

Source: Human Cells.
MW :102kD.

Recombinant Human Semaphorin 4B is produced by our Mammalian expression system and the target gene encoding Leu39-Glu712 is expressed with a Fc, 6His tag at the C-terminus. Semaphorin-4B is a single-pass type I membrane protein. SEMA4B is a member of the semaphorin family. The class 4 semaphorins are integral membrane proteins that are widely expressed throughout the nervous system. SEMA4B is a single-pass type I membrane protein and contains one Ig-like C2-type (immunoglobulin-like) domain, one PSI domain and one Sema domain. Human SEMA4B is expressed in neurons. SEMA4B inhibits axonal extension by providing local signals to specify territories inaccessible for growing axons. SEMA4B negatively regulates basophil-mediated Th2 and humoral memory responses.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4 .
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : LSPRISLPLGSEERPFRLFEEAHISNYTALLLSRDGRTLYVGAREALFALSSNLSFLPGGEYQELLWGADAEKKQQCSFKGKDPQRDCQNYIKILLPLSGSHLFTCGTAAAFSPMCTYINMENFTLARDEKGNVLLEDGKGRCPDFPNFKS TALVVDGELYTGTVSSFQGNPAISRSQSLRPTKTESSLNWLQDPAFVASAYIPESLGSQGGDDDKIYFFSETG QEFFEFFENTIVSRIARICKGDEGGERVLQQRWTSFLKAQLLCSRPDGFFPNVLQDVFTLSPSPQDWRDTLFG VFTSQWHRGTTGSAVCFVTMKDVQRVFSGLYKEVNRETQQWYTVTHPVPTPRPGACITNSARERKINSSLQL PDRVLNFKDHFMDGQVRSRMLLLQPQARYQRVAVHRVPGLHHTYDVLFLGTGDGRLHKAVSVGPRVHIIIE LQIFSSGQPVQNLLLDTHRGLLYAASHGVVQVPMANCSLYRSCGDCLLARDPYCAWSGSSCKHVSLSYQPQLA TRPWIQDIEGASAKDLCSASSVSPSFVPTGEKPCEQVQFQPNTVNTLACPLLSNLATRLWLRNGAPVNASASC HVLPTGDLLLVGTQQLGEFQCWSLEEGFQQLVASYCPEVVEDGVADQDDEGGSVPVIISTSRVSAPAGGKAS WGADRSYWKEVDDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHE DPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQ PREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSR WQQGNVFCSCVMHEALHNHYTQKSLSLSPGKHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.