

## 32-8069: Recombinant Human Mortality Factor 4-Like Protein 2/MORF4L2/MRGX (C-6His)

**Gene :** MORF4L2

**Gene ID :** 9643

**Uniprot ID :** Q15014

### Description

Source: E.coli.

MW :33.37kD.

Recombinant Human Mortality Factor 4-Like Protein 2 is produced by our E.coli expression system and the target gene encoding Met1-Leu288 is expressed with a 6His tag at the C-terminus. Mortality Factor 4-Like Protein 2 (MORF4L2) is a member of the mortality factor (MORF) family. MORF4L2 localizes in the nucleus, possessing a protein kinase C phosphorylation site and a tyrosine phosphorylation site. MORF4L2 interacts with the Rb tumor suppressor and it has histone deacetylase activity which can either repress or promote the activity of the B-Myb promoter depending on the tissue. In addition, MORF4L2 is involved in cell growth, regulation, and senescence.

### Product Info

**Amount :** 10 µg / 50 µg

**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

**Amino Acid :** MSSRKQGSQPRGQQSAEEENFKKPTRSNMQRSKMRGASSGKKTAGPQQKNLEPALPGRWGGRSAENPPSG SVRKRTRKNKQKTPGNGDGGSTSEAPQPPRKKRARADPTVESEEFKNRMEVKVKIPEELKPWLVEDWDLVTR QKQLFQLPAKKNVDAILEEYANCKKSQGNVDNKEYAVNEVVAGIKEYFNVMLGTQLLYKFERPQYAEILLAHPD APMSQVYGAPHLRLFRIGAMLAYTPLDEKSLALLLGYLHDFLKYLAKNSASLFTASDYKVASAEYHRKALLEH HHHHH

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.