

32-8085: Recombinant Human EIF4E-Binding Protein 2/EIF4EBP2 (N-6His)

Gene : EIF4EBP2

Gene ID : 1979

Uniprot ID : Q13542

Description

Source: E.coli.

MW :15.1kD.

Recombinant Human EIF4E-Binding Protein 2 is produced by our E.coli expression system and the target gene encoding Met1-Ile120 is expressed with a 6His tag at the N-terminus. Eukaryotic Translation Initiation Factor 4E-Binding Protein 2 (EIF4EBP2) is a member of the Eukaryotic Translation Initiation Factor 4E Binding Protein Family. EIF4EBP2 regulates eIF4E activity by preventing its assembly into the eIF4F complex, mediates the regulation of protein translation by hormones, growth factors and other stimuli that signal through the MAP kinase pathway. This regulation of is associated to cell proliferation, cell differentiation and viral infection. Phosphorylated EIF4EBP2 on serine and threonine residues in response to insulin, EGF and PDGF.

Product Info

Amount : 10 µg / 50 µg

Content : Lyophilized from a 0.2 µm filtered solution of 20mM TrisHCl, 150mM NaCl, pH 8.0 .

Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Amino Acid : MGSSHHHHHHSSGLVPRGSHMSSSAGSGHQPSQSRAIPTRTVVAISDAAQLPHDYCTTPGGTLFSTTPGGTRIIYDRKFLDDRNSPMAQTTPCHLPNIPGVTSPGTLIEDSKVEVNNLNNLNNHDKHAVGDDAQFEMDI

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.