

32-8237: Recombinant Human α -Taxilin/TXLNA (N, C-6His)

Gene : TXLNA
Gene ID : 200081
Uniprot ID : P40222

Description

Source: E. coli.
MW :20.4kD.

Recombinant Human α -Taxilin is produced by our E.coli expression system and the target gene encoding Met1-Lys162 is expressed with a 6His tag at the N-terminus, 6His tag at the C-terminus. α -Taxilin belongs to the taxilin family. α -Taxilin exists in almost all tissues, with higher expression levels observed in the heart, kidney, liver, and pancreas. α -Taxilin binds to the C-terminal coiled coil region of syntaxin family members STX1A, STX3A, and STX4A, but not when these proteins are complexed with SNAP25, VAMP2 or STXBP1, suggesting that it interacts with syntaxins that do not form the SNARE complex. It is shown that α -Taxilin plays multiple roles in the generation and maintenance of neurons through modulation of the NAC-mediated translational machinery and/or the syntaxin-mediated vesicle traffic in the soma. In addition, α -Taxilin may be involved in intracellular vesicle traffic and potentially in calcium-dependent exocytosis in neuroendocrine cells.

Product Info

Amount : 10 μ g / 50 μ g
Content : Lyophilized from a 0.2 μ m filtered solution of 20mM PB,150mM NaCl,pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : MGSSHHHHHHSSGLVPRGSHMKNQDKKNGAAKQSNPKSSPGQPEAGPEGAQERPSQAAPAVEAEGPGSSQ
APRKPEGAQARTAQSGALRDVSEELSRQLEDILSTYCVDDNNQGGPGEDGAQGEPAEPEDA EKSRTYVARNGE
PEPTVVNGEKEPSKGDPNTEEIRQSDEVGDRDHRRPQEKLEHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/ μ g (1 IEU/ μ g) as determined by LAL test.