

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8491: Recombinant Mouse CNDP Dipeptidase 2/CNDP2/CPGL (C-6His)

Gene ID: Cndp2
Gene ID: 66054
Uniprot ID: Q9D1A2

Description

Source: Human Cells.

MW:53.8kD.

Recombinant Mouse CNDP dipeptidase 2 is produced by our Mammalian expression system and the target gene encoding Met1-Asn475 is expressed with a 6His tag at the C-terminus. Mouse cytosolic non-specific dipeptidase(CNDP2) is a cytoplasm protein which belongs to the peptidase M20A family. CNDP2 has 2 Isoform: Isoform 1 is ubiquitously expressed with higher levels in kidney and liver (at protein level). Isoform 2 is expressed in fetal tissues, it is only expressed in adult liver and placental tissues. CNDP2 hydrolyzes a variety of dipeptides including L-carnosine and has a strong preference for Cys-Gly. It is a cytosolic enzyme that can hydrolyze carnosine to yield I-histidine and beta-alanine. CNDP2 is highly expressed in the histaminergic neurons in the tuberomammillary nucleus, implying that it may supply histidine to histaminergic neurons for histamine synthesis. It may play a role as tumor suppressor in hepatocellular carcinoma (HCC) cells.

Product Info

Amount: $10 \mu g / 50 \mu g$

Content: Supplied as a 0.2 μm filtered solution of 20mM TrisHCl, 150mM NaCl,10% Glycerol, pH8.0.

Storage condition: Store at -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles. **Amino Acid:** MSALKAVFQYIDENQDRYVKKLAEWVAIQSVSAWPEKRGEIRRMMEVAAADVQRLGGSVELVDIGKQKLPDG

SEIPLPPILLGKLGSDPQKKTVCIYGHLDVQPAALEDGWDSEPFTLVEREGKLYGRGSTDDKGPVAGWMNALEA YQKTGQEIPVNLRFCLEGMEESGSEGLDELIFAQKDKFFKDVDYVCISDNYWLGKNKPCITYGLRGICYFFIEVEC SDKDLHSGVYGGSVHEAMTDLISLMGCLVDKKGKILIPGINDAVAPVTDEEHALYDHIDFDMEEFAKDVGAETL LHSCKKDILMHRWRYPSLSLHGIEGAFSGSGAKTVIPRKVVGKFSIRLVPDMIPEVVSEQVSSYLSKKFAELQSPN KFKVYMGHGGKPWVSDFNHPHYQAGRRALKTVFGVEPDLTREGGSIPVTLTFQEATGKNVMLLPVGSADDGA

HSQNEKLNRLNYIEGTKMLAAYLYEVSQLKNVDHHHHHH

Application Note

Endotoxin : Less than $0.1 \text{ ng}/\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.