

## 32-8552: Recombinant Human IL-2 Receptor Subunit beta/IL-2RB/CD122 (C-6His)(Discontinued)

**Gene :** IL2RB  
**Gene ID :** 3560  
**Uniprot ID :** P14784

### Description

Source: Human Cells.  
MW :25.6kD.

Recombinant Human IL-2 receptor beta is produced by our Mammalian expression system and the target gene encoding Ala27-Asp239 is expressed with a 6His tag at the C-terminus. Human IL-2RB, also known as interleukin-2 receptor subunit beta, is the receptor for interleukin-2. IL2 receptor complex is involved in receptor mediated endocytosis and transduces the mitogenic signals of IL2. IL2 receptor complex has three forms with respect to ability to bind IL2. IL-2RB is belonged to a type I membrane protein, and has a 26 residue signal peptide, a 214 residue extracellular region, a 25 residue transmembrane region and a 286 residue cytoplasmic domain. IL-2RB is the subunit critical for receptor-mediated signaling via physically or functionally coupling to other signaling molecules, such as the Jak-STAT and Src-family protein tyrosine kinase although it lacks apparent catalytic motifs.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.  
**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** AVNGTSQFTCFYNSRANISCVWSQDGALQDTSQVHAWPDRRRWNQTCELLPVSQASWACNLILGAPDSQK  
LTTVDIVTLRVLCREGVRWRVMAIQDFKPFENLRMLAPISLQVVHVETHRCNISWEISQASHYFERHLEFEARTL  
SPGHTWEEAPLLTLKQKQEWICLETLPDTQYEFQVRVKPLQGEFTTWSPWSQPLAFRTKPAALGKDVDHHHH  
HH

### Application Note

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.