w abeomics

32-8625: Recombinant Mouse T cell Immunoglobulin and Mucin Domain-3/TIM-3/HAVCR2 (C-6His)

 Gene :
 Havcr2

 Gene ID :
 171285

 Uniprot ID :
 Q8VIM0

Description

Source: Human Cells.

MW :19.9kD.

Recombinant Mouse T cell Immunoglobulin and Mucin Domain-3 is produced by our Mammalian expression system and the target gene encoding Arg20-Ala193 is expressed with a 6His tag at the C-terminus. T cell immunoglobulin and mucin domain-3 (TIM3), also called hepatitis A virus cellular receptor 2 (HAVCR2), is a transmembrane glycoprotein of the TIM family of immune regulating molecules and plays an important role in the Th1-mediated immune response. TIM3 is expressed on the Th1 cells, CD8 T-cells, monocytes, and dendritic cells, but not on Th2 cells. TIM3 expressed by monocytes and dendritic cells facilitates phagocytosis of apoptotic cells and up-regulates cross-presentation of apoptotic cell-associated antigens through interaction with phosphatidylserine. Engagement of TIM3 by its ligand galectin-9 induces a range of immunosuppressive functions which enhance immune tolerance and inhibit anti-tumor immunity. Stimulation of TIM3 with an agonistic antibody promotes inflammation through the activation of innate immune cells. TIM3 is also regarded as a potential target molecule for immunotherapy. TIM3 and programmed cell death 1 (PD-1) as two important coinhibitory regulators of T cell responses, have been implicated with the T-cell dysfunction or exhaustion associated with chronic HBV infection including HBV-related HCC.

Product Info

Amount :	10 µg / 50 µg
Content :	Lyophilized from a 0.2 μ m filtered solution of PBS, pH7.4.
Storage condition :	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid :	RSLENAYVFEVGKNAYLPCSYTLSTPGALVPMCWGKGFCPWSQCTNELLRTDERNVTYQKSSRYQLKGDLNK GDVSLIIKNVTLDDHGTYCCRIQFPGLMNDKKLELKLDIKAAKVTPAQTAHGDSTTASPRTLTTERNGSETQTLV TLHNNNGTKISTWADEIKDSGETIRTAHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/ \tilde{A} $\hat{A}\mu g$ (1 IEU/ \tilde{A} $\hat{A}\mu g$) as determined by LAL test.