

32-8631: Recombinant Human RANK L/TRANCE/TNFSF11 (N-6His)

Gene : TNFSF11

Gene ID : 8600

Uniprot ID : O14788

Description

Source: E.coli.

MW :22.4kD.

Recombinant Human Receptor Activator of NF-kappa-B ligand is produced by our E.coli expression system and the target gene encoding Ile140-Asp317 is expressed with a 6His tag at the N-terminus. CD254, also known as RANKL, TNFSF11, TRANCE, OPGL and ODF, is a type II membrane protein of the tumor necrosis factor (TNF) superfamily, and affects the immune system and control bone regeneration and remodeling. RANKL is the ligand of nuclear factor (NF)-kB (RANK). When RANKL binds to RANK, it will undergo trimerization and then bind to an adaptor molecule TNF receptor-associated factor 6 (TRAF6). This results in the activation of several downstream signaling cascades, including the NFkB, mitogen-activated protein kinases (MAPK), activating protein 1 (AP-1), and nuclear factor of activated T cells (NFATc1), resulting in the formation of multinucleated bone-resorbing osteoclasts. RANKL is widely expressed in skeletal muscle, thymus, liver, colon, small intestine, adrenal gland, osteoblast, mammary gland epithelial cells, prostate and pancreas.

Product Info

Amount : 10 µg / 50 µg

Content : Lyophilized from a 0.2 µm filtered solution of 20mM Tris,150mM NaCl,pH8.0.

Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Amino Acid : MGSSHHHHHSSGLVPRGSHMIRA EKAMVDG SWLDLAKRSKLEAQPFAHLTINATDIPSGSHKVLSSWYHD
RGWAKISNMTFSNGKLIVNQDGFYLYANICFRHHETSGDLATEYLQLMVYVTKTSIKIPSSHTLMKGGSTKYWS
GNSEHFYISINVGFFKLRSGEEISIEVSNPSSLDPDQDATYFGAFKVRDID

Application Note

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.