

32-8644: Recombinant Mouse Ectodysplasin Receptor/EDAR (C-Fc)

Gene : Edar
Gene ID : 13608
Uniprot ID : Q9R187

Description

Source: Human Cells.
MW :44.7kD.

Recombinant Mouse Ectodysplasin Receptor is produced by our Mammalian expression system and the target gene encoding Glu27-Ile189 is expressed with a Fc tag at the C-terminus. Ectodysplasin A receptor (EDAR) is a type I transmembrane protein of the TNF- α receptor superfamily which plays a key role in ectodermal differentiation. EDAR was encoded by the mouse downless gene and defective in human dominant and recessive forms of autosomal hypohidrotic ectodermal dysplasia (EDA) syndrome. The extracellular domain of EDAR contains 14 cysteine residues, six of which approximate the TNFRSF cysteine-rich region, the cytoplasmic domain contains a region with homology to the death domains found in other TNFRSF members. EDAR has been suggested to be an early and important promoter of placode development in all ectodermal organs, such as hair follicles, teeth and sweat glands. EDA-A1, the A1 isoform of EDA, is the EDAR ligand. EDA and EDA are implicated in appendage development by the cloning of a gene underlying hypohidrotic ectodermal dysplasia (HED) in mouse and human. HED is characterized by agenesis or malformation of ectoderm-derived appendages, such as teeth, sweat glands and hair follicles, while the skin itself develops normally.

Product Info

Amount : 10 μ g / 50 μ g
Content : Lyophilized from a 0.2 μ m filtered solution of PBS, pH 7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : EDSNCGENEYHNQTTGLCQQCPPCRPGEEPYMSCGYGTDKDDYGCVPCPAEKFSKGGYQICRRHKDCEGFFR
ATVLTGDMENDAECGPCLPGYYMLENRPRNIYGMVCYSLLAPPNTKECVGATSGVSAHSSTSGGSTLSPF
QHAHKELSGQGH LATALIVDDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV
VDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTI
SKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKL
TVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK

Application Note

Endotoxin : Less than 0.1 ng/ μ g (1 IEU/ μ g) as determined by LAL test.