

32-8681: Recombinant Mouse Protein CREG1/CREG (C-6His)

Gene : Creg1
Gene ID : 433375
Uniprot ID : O88668

Description

Source: Human Cells.
MW :22.5kD.

Recombinant Mouse CREG1 is produced by our Mammalian expression system and the target gene encoding Arg32-Gln220 is expressed with a 6His tag at the C-terminus. Cellular repressor of E1A genes (CREG) is an evolutionarily conserved lysosomal protein, and an important new factor in regulating tissue homeostasis that has been shown to antagonize injury of tissues or cells. CREG contains three mannose 6-phosphate (M6P) markers, and depends on interactions with M6P receptors for efficient delivery to lysosomes, which is implicated in the regulation of lysosomal functions. This protein shares limited sequence similarity with E1A and binds both the general transcription factor TBP and the tumor suppressor pRb in vitro. CREG plays an important role in the control of cell growth and differentiation. It has been shown that CREG antagonizes transcriptional and cellular transformation by the adenoviral E1A oncoprotein, induces differentiation while attenuating cellular proliferation, regulates the levels of the signaling kinases ERK1/2, and mediates glucocorticoid-induced proliferation of ileal epithelial cells. CREG is widely expressed in adult tissues, such as the brain, heart, lungs, liver, intestines and kidneys in mice, but is not markedly expressed in pluripotent embryonic stem cells.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS,pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : RGGRDHGDWDVDRRLPPLPPREDGPRVARFVTHVSDWGLATISTIKEVRGWPFADIISIDGPPGEGTGEPY MYLSPLQQAVSDLQENPEATLTMSLAQTYYCRNHGFDQPSPLCVHIMMSGTVTKVKNKTEEDYARDSLFFVRHPE MKHWPSSHNWFFAKLKISRIVWLDYFGGPKVVTPEEYFNVTLQVDHHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.