

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-8755: Recombinant Human Interleukin-35/IL-35 (C-Fc)(Discontinued)

**Gene ID:** 10148 **Uniprot ID:** Q14213

## **Description**

Source: Human Cells. MW :73.9kD.

Recombinant Human Interleukin-35 is produced by our Mammalian expression system and the target gene encoding Arg21-Lys229&Arg23-Ser219 is expressed with a Fc tag at the C-terminus. Interleukin-35 is a newest and potent suppressive cytokine of the IL-12 family. Unlike other members of the IL-12 family which are produced mainly by antigen-presenting cells (APCs), IL-35 has been identified as a potentially immunosuppressive cytokine primarily produced by regulatory T (Treg) cells, and to a lesser extent by activated dendritic cells and macrophages. IL-35 is composed of the IL-12 p35 subunit and the IL-27 EpsteinÂ-Barr virus-induced protein 3 (EBI3) subunit. IL-35 plays an important role in many disease models and has been recently shown to have additional functions aside from inhibition of proliferation, including inducing its own expression in non-Treg cells.

## **Product Info**

**Amount:**  $10 \mu g / 50 \mu g$ 

**Content:** Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

**Storage condition :** Reconstituted protein solution can be stor samples are stable at -20°C for 3 months.

Amino Acid: RKGPPAALTLPRVQCRASRYPIAVDCSWTLPPAPNSTSPVSFIATYRLGMAARGHSWPCLQQTPTSTSCTITDV

## **Application Note**

**Endotoxin**: Less than  $0.1 \text{ ng}/\tilde{A} \square \hat{A} \mu g$  (1 IEU/ $\tilde{A} \square \hat{A} \mu g$ ) as determined by LAL test.