

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8776: Recombinant Mouse PDGFR a/PDGFRA/CD140a (C-6His)

Gene ID: Pdgfra
Gene ID: 18595
Uniprot ID: P26618

Description

Source: Human Cells. MW :56.9kD.

Recombinant Mouse PDGF receptor alpha is produced by our Mammalian expression system and the target gene encoding Leu25-Glu524 is expressed with a 6His tag at the C-terminus. Platelet-derived growth factor receptors (PDGFR) are cell surface tyrosine kinase receptors for members of the platelet-derived growth factor (PDGF) family. The PDGF family consists of PDGF-A, -B, -C and -D, which form either homo- or heterodimers (PDGF-AA, -AB, -BB, -CC, -DD). The four PDGFs are inactive in their monomeric forms. PDGFs bind to the protein tyrosine kinase receptors PDGF receptor-a and - beta. These two receptor isoforms dimerize upon binding the PDGF dimer, leading to three possible receptor combinations, namely -aa, - beta beta and -a beta. PDGFRa and PDGFR beta are members of the class III RTK family. Inappropriate PDGFRa and PDGFR beta signaling has been linked to a number of proliferative disorders.

Product Info

Amino Acid:

Amount: $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

LLLPSILPNENEKIVQLNSSFSLRCVGESEVSWQHPMSEEDDPNVEIRSEENNSGLFVTVLEVVNASAAHTGWY

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

TCYYNHTQTDESEIEGRHIYIYVPDPDMAFVPLGMTDSLVIVEEDDSAIIPCRTTDPETQVTLHNNGRLVPASYDS RQGFNGTFSVGPYICEATVKGRTFKTSEFNVYALKATSELNLEMDARQTVYKAGETIVVTCAVFNNEVVDLQWT YPGEVRNKGITMLEEIKLPSIKLVYTLTVPKATVKDSGEYECAARQATKEVKEMKRVTISVHEKGFVEIEPTFGQLE AVNLHEVREFVVEVQAYPTPRISWLKDNLTLIENLTEITTDVQKSQETRYQSKLKLIRAKEEDSGHYTIIVQNEDD VKSYTFELSTLVPASILDLVDDHHGSGGGQTVRCTAEGTPLPEIDWMICKHIKKCNNDTSWTVLASNVSNIITEL

PRRGRSTVEGRVSFAKVEETIAVRCLAKNNLSVVARELKLVAPTLRSEHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/ $\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.