

## 32-8829: Recombinant Mouse Signal-Regulatory Protein a-1/SIRPA/CD172a (C-MIgG2a)

**Gene :** Sirpa  
**Gene ID :** 19261  
**Uniprot ID :** Q6P6I8

### Description

Source: Human cells.  
MW :65.1kD.

Recombinant Mouse Signal-Regulatory Protein alpha 1 is produced by our Mammalian expression system and the target gene encoding Lys32-Asn372 is expressed with a MIgG2a tag at the C-terminus. SIRPa is a type I transmembrane glycoprotein. It contains two Ig-like C1-type domains and one Ig-like V-type domain. Mouse SIRP alpha ECD shares 61%, 75%, 62%, 61%, and 59% aa sequence identity with human, rat, equine, bovine, and porcine SIRP alpha, respectively. SIRPa can express in various tissues, mainly on brain and myeloid cells, including macrophages, neutrophils, dendritic and Langerhans cells. It also can detect in neurons, smooth muscle and endothelial cells. SIRPA is an immunoglobulin-like cell surface receptor for CD47. SIRPa acts as docking protein and induces translocation of PTPN6, PTPN11 and other binding partners from the cytosol to the plasma membrane. SIRPa shows adhesion of cerebellar neurons, neurite outgrowth and glial cell attachment. SIRPa engagement generally produces a negative regulatory signal; it may mediate negative regulation of phagocytosis, mast cell activation and dendritic cell activation.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.  
**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** KELKVTQPEKSVSVAAGDSTVLNCTLSLLPVGPIRWYRGVGPSRLLIYSFAGEYVPRIRNVSDTTKRNNMDFSI  
RISNVTPADAGIYCVKFKQGSSEPDEIQSGGGTEVYVLAKPSPPEVSGPADRGIPDQKVNFTCKSHGFSPRNI  
TLKWFKDGQELHPLETTVNPSTGKNSYNISSTVRVVLNSMDVNSKVICEVAHITLDRSPLRGIANLSNFIRVSPT  
VKVTQQSPTSMNQVNLTCRAERFYPEDLQLIWLENGNVSNDTPKNLTKNTDGTYNYSFLVNSSAHREDVV  
FTCQVKHDQQPAITRNHTVLGFAHSSDQGSMTFPDNNATHNWNIEGRMDPEPRGPTIKPCPPCKCPAPNLL  
GGPSVFIFPPKIKDVLMSLSPIVTCVVVDVSEDDPDVQISWVFNNEVHTAQTQTHREDYNSTLRVVSALPIQH  
QDWMSGKEFKCKVNNKDLPAPIERTISKPKGSVRAPQVYVLPPEEEMTKKQVTLTCMVTDMPEDIYVEWTN  
NGKTELNYKNTEPVLDSGYSFMYSKLRVEKKNWVERNSYSCSVVHEGLHNHHTTKSFSRTPGK

### Application Note

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.